IN THE CLAIMS

1. (0	Currently Amended) An apparatus comprising:	
a 1	thermally conductive plate to be placed in contact with a heat generating device;	
a :	fluid loop coupled to the plate to circulate fluid and have the fluid absorb heat	
from the plate, the fluid loop to thereafter pass the fluid to a heat exchanger, the fluid		
containing magnetic nanoparticles; and		
a 1	magnetic pump to circulate the fluid through the fluid loop.	
2. (C	Currently Amended) The apparatus of claim 1, wherein the fluid loop is coupled	
to [[a]] the heat exchanger.		
	•	
3.	(Canceled)	
4.	(Canceled)	
5.	(Previously Presented) The apparatus of claim 1, wherein the magnetic pump	
is an electro-magnetic pump.		
6.	(Canceled)	
7.	(Original) The apparatus of claim 1, wherein the nanoparticles are selected	
from a group comprising of copper, iron, gold and ceramic.		

(Canceled)

8.

- 9. (Previously Presented) The apparatus of claim 1, wherein the fluid loop is a single phase fluid loop.
- 10. (Previously Presented) The apparatus of claim 1, wherein the fluid loop is a two phase fluid loop.
- 11. (Original) The apparatus of claim 1, wherein the fluid is deionized water.
- 12. (Previously Presented) The apparatus of claim 1, wherein the heat generating device is selected from a group comprising of a processor, a chipset, a graphics controller, and a memory controller.
- 13. (Currently Amended) A system comprising:
 - a heat generating device;
 - a thermally conductive plate in thermal contact with the heat generating device;
- a fluid loop coupled to the plate to circulate fluid and have the fluid absorb heat from the plate, the fluid loop to thereafter pass the fluid to a heat exchanger, the fluid containing magnetic nanoparticles; and
 - a magnetic pump to circulate the fluid through the fluid loop.
- 14. (Currently Amended) The system of claim [[12]] 13, wherein the fluid loop is coupled to [[a]] the heat exchanger.

15. (Canceled)		
16. (Canceled)		
17. (Previously Presented) The system of claim 13, wherein the magnetic pump is a electro-magnetic pump.	ar	
and magnetic panish.		
18. (Canceled)		
19. (Previously Presented) The system of claim 13, wherein the nanoparticles are		
selected from a group comprising of copper, iron, gold and ceramic.		
20. (Canceled)		
21. (Currently Amended) The system of claim [[12]] 13, wherein the fluid loop is a	,	
single phase fluid loop.		
22. (Currently Amended) The system of claim [[12]] 13, wherein the fluid loop is a		
two phase fluid loop.		

is deionized water.

23.

(Currently Amended) The apparatus system of claim [[12]] 13, wherein the fluid

- 24. (Currently Amended) The system of claim [[12]] 13, wherein the heat generating device is selected from a group comprising of a processor, a chipset, a graphics controller, and a memory controller.
- 25. (Currently Amended) An apparatus comprising:
 a thermally conductive plate to be placed in contact with a heat generating device;
 a fluid loop coupled to the plate to circulate the fluid and have the fluid absorb
 heat from the plate, the fluid loop to thereafter pass the fluid to a heat exchanger, the fluid

an electro-magnetic pump to circulate the fluid through the fluid loop.

- 26. (Original) The apparatus of claim 25, wherein the nanoparticles are selected from a group comprising of copper, iron, gold and ceramic.
- 27. (Canceled)

containing magnetic nanoparticles; and

28. (Original) The apparatus of claim 25, wherein the heat generating device is selected from a group comprising of a processor, a chipset, a graphics controller, and a memory controller.